

ALTOZ®
ALWAYS AHEAD®



OUTDOOR
POWER
EQUIPMENT



*The optional TRX 766 Deck
Wing Extension provides 16"
of additional cutting reach.*

THE POWER OF ALTOZ
INNOVATION ▶

Get on an Altoz.

Altoz innovation waits for no one and that's why we're always ahead. Our machines keep revolutionizing the industry, making your day safer, more productive and more comfortable. When you use an Altoz mower, you'll do more and go further.

Looking for a flawless, commercial-grade result? Or the power and ability to operate where other equipment can't? Look no further than Altoz. Our wheeled mowers deliver a precise, professional cut. Our expertly engineered tracked mowers give you the ability to conquer the most technical terrains like slopes, lowlands and hills with unmatched operator comfort and style.

See what's possible when you get on an **Altoz**.



TRX SERIES

HIGH TRACTION - SUPERIOR CONTROL

*When you find yourself
in the **ROUGH***



TRX 766 i

The **TRX 766 SERIES** offers the ultimate workhorse for the toughest, most challenging terrain and environments.

POWERFUL ENGINE ▼

The TRX 766 i features a powerful and efficient Kawasaki FX 38.5 hp EFI engine to maximize overall performance, fuel economy and provide reliable starting.

Adjustable
12-way seat

◀ ROLL-OVER PROTECTION SYSTEM

Our roll-over protection system can be easily folded down to avoid low hanging limbs.

▼ 12-WAY ADJUSTABLE SEAT

Combined with our suspension system, the 12-way adjustable high-back suspension seat with arm rests delivers the industry's smoothest ride.

◀ DUAL FUEL TANKS

Two 7-gallon gas tanks mean fewer stops for refueling.

▼ BUILT FOR SPEED

Hydro-Gear ZT 5400 high/low transmission

TerraFlex™
Tracks shown

▲ TERRAFLEX™ TRACKS WITH TORSION AXLE REAR SUSPENSION


Available for TRX 766 models, TerraFlex commercial-grade tracks are made for customers who cut in demanding conditions. The tread pattern and steel-cased, vulcanized rubber tracks are designed for durability and flexibility. These tracks, combined with the torsion axle rear suspension, are engineered for traction, stability and a smooth ride in challenging conditions.

▲ FLAT-FREE FRONT TIRES

Power through the harshest conditions, even rough terrain and sharp debris, with flat-free tires and rear-mounted track system.

TOUGH TRACKS TREAD LIGHTLY

The patented TRX rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction. 10" wide TerraFlex tracks are ideal for customers who cut in demanding conditions. The 11" wide All-Terrain tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.





▼ TRX COUNTER ROTATION RIGHT DECK SPINDLE

Accessory provides even grass dispersement using less horsepower and better fuel economy.



▼ TRX DECK WING EXTENSION

Perfect for under fence lines, shore lines, ditch banks, water retention ponds, solar fields and anywhere you need to get under or over. Ditch the string trimmers and reduce man hours, gain 25% more coverage than a 66" deck.



Shown in transport position

EXCLUSIVE DECK OPTIONS

Equipped with Altoz's exclusive 66" All-Terrain Deck for rough cutting or 66" Finish Cut Aero Deck cutting system with adjustable baffles for a professional finish cut.



◀ 66" ALL-TERRAIN DECK

The All-Terrain Deck is constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heat-treated for exceptional, long-lasting sharpness.



◀ 66" FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .270" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



**SEE OUR
FULL LINE OF
TRX MODELS**

Not all features are available on all models.
Check the specifications table or ask your dealer for details.

TORQFLEX™ SUSPENSION ▶

The TRX's TorqFlex™ front suspension and rear torsional axle suspension work together to bridge uneven terrain, delivering stability, a smooth ride and reduced operator fatigue.



TRX 561 i

The **TRX 561 i** is an ideal solution for multi-acre homeowners, ranchers, golf courses, schools and lawn care professionals.

TRACK OPTIONS ▼

All-Terrain Tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

Adjustable
12-way seat



SMARTRAC/PRO

The **SmarTrac™ Pro** control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.



▼ DUAL FUEL TANKS

Two 7-gallon gas tanks mean fewer stops for refueling.

▼ TORQFLEX™ SUSPENSION

TorqFlex front suspension delivers stability, a smooth ride and reduced operator fatigue.

DECK OPTIONS ▲

Equipped with Altoz's exclusive 61" Finish Cut Aero Deck with adjustable baffles or All-Terrain Deck for rough cutting.

FLAT-FREE FRONT TIRES ▲

Power through the harshest conditions, even rough terrain and sharp debris, with flat-free tires and rear-mounted track system.



The exclusive Aero Deck is .270" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



Kawasaki™ 4-stroke engines are available in 29.5 hp (TRX 561 i) and 24 hp (TRX 354).

With its standard Turf Tracks, the **TRX 354** is ideal for multi-acre homeowners, outdoorsmen & farmers.

TRX 354

TURF TRACKS TREAD LIGHTLY ▼

The patented TRX rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction.



**TALL GRASS
& UNRULY
TERRAIN**



SLOPES



WET AREAS



Combined with our rear torsion axle suspension system, the 12-way adjustable high-back suspension seat with arm rests delivers the industry's smoothest ride.



Shown with Turf Tracks

▲ TRACK OPTIONS

Standard Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain. Optional All-terrain Tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach.

▲ FINISH CUT AERO DECK™

Equipped with Altoz's exclusive 54" Finish Cut Aero Deck with adjustable baffles.



Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.



The Altoz Independent Front Suspension (IFS) smooths out rough terrain for superb comfort and control. Available as an accessory on TRX 354 models.

QUICK SCAN
TO LEARN MORE





*THE SWITCH*TM

COMPACT TRACKED TOOL CARRIER

MULTI-**FUNCTIONAL** MULTI-**SEASONAL** ▼



SWITCH™

Whatever the task, Altoz Switch attachments connect quickly and easily.

DROP, SWAP & GO

The Altoz Switch delivers the stability and mobility of tracks and pairs it with the versatility and functionality of a broad range of interchangeable attachments. The Switch is fully capable of handling multiple tasks and terrain in any season.



► MULTI-TASKING

Maximize productivity and efficiency with a versatile line of attachments.

► SPEED

Hydrostatic transmissions with speeds up to 7 mph

► TRACKS

9" wide tracks

► ADJUSTABLE AXLE WIDTH

42" or 52"

► ENGINE

34.5 hp Kawasaki® FX820V EVO EFI

44" MATERIAL BUCKET ▲

The compact design ensures maneuverability in narrow spaces without sacrificing power or capacity, making it ideal for landscaping, construction and property maintenance projects.

**SEE OUR FULL LINE OF SWITCH
ATTACHMENTS & SPECS**



Switch Accessories



44" MATERIAL PUSHER ▶

Engineered for durability and ease of use, it's the go-to solution for a wide range of tasks, making your job easier and more efficient.

◀ SNOW BLOWER

Quickly and efficiently clear snow from sidewalks, driveways or anywhere else. 44" width, 2-stage, belt driven. Hydraulically-adjustable chute rotation and electrically-adjustable chute angle.

36" PALLET FORKS ▶

A versatile attachment with the ability to move a wide range of materials and goods on construction sites, in warehouses, farms and landscaping projects easily and efficiently with 360-degree visibility.



STRAIGHT BLADE ▶

Handle snowbound walkways and light aggregate in tight areas with ease. 50" blade width, 44" width angled. Hydraulic adjustment for angle, float feature. Cutting edge features adjustable trip tension.



◀ POWER ANGLE BROOM

Ideal for year-round cleaning of parking lots and sidewalks, or for lawn dethatching or leaf removal. 48" straight width, 44" angled. Angle left, right or straight with the touch of a button.



◀ 44" & 61" ALL-TERRAIN DECK

Power through rough terrain, tackle slopes, traverse roadsides and reclaim overgrown areas. 44" or 61" cutting width, 2 or 3-spindle counter rotating design, six swing blades forged and heat-treated for durability.



SPRAY TANK & BOOM SPRAYS ▼

Choose a 4' wide spray pattern brine boom or an 8' wide spray pattern chemical boom—or both—to suit your needs. 25-gallon tank.



◀ DROP SPREADER

Make quick work of sidewalks and pathways, with precise coverage drop from 30" to 36" spread width. Pair with Snow Blower, V-Plow, Straight Blade or Power Angle Broom to complete two tasks at once.





TSX *SERIES*

TRACKED STAND-ON MOWERS

The world's first
TRACKED
stand-on mower



TSX 561 i

The **TSX 561 i**, takes on difficult terrain jobs others can't mow safely by combining the fast maneuverability of a stand-on mower with the unmatched steep terrain mowing capabilities of the Altoz track system.



TOUGH TRACKS TREAD LIGHTLY

All-Terrain Tracks are ideal for side hilling, low lands and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain. The patented rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction.



WET AREAS

More control for mowing around water features, ditches and low areas.



SLOPES

Mow slopes safely with high traction and minimal compaction.




TALL GRASS & UNRULY TERRAIN

Reclaim your property and tame even the harshest terrain.

TRACK BENEFITS ►

The TSX's tough tracks bridge over uneven terrain and provide a smooth, comfortable ride on rough ground.




◀ POWERFUL ENGINE

29.5 hp Kawasaki FX 852cc EFI engine with integrated electronic throttle control powers through tough mowing conditions. EFI fuel management adjusts power to load, keeping blade tip speed constant and ground speed steady.

◀ RESPONSIVE, SMOOTH TRANSMISSION

High-performance commercial Hydro-Gear® PR 16cc pumps and Parker® TF 195cc wheel motors deliver quick response to the rear Altoz track system and smooth control for cutting speeds up to 10 mph.

SMARTRAC/PRO



The SmarTrac™ Pro control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.

EXCLUSIVE DECK OPTIONS


Equipped with Altoz's exclusive 61" HV All-Terrain Deck for rough cutting or 61" Finish Cut Aero Deck cutting system with adjustable baffles for a professional finish cut.

61" HV ALL-TERRAIN DECK ▶

The HV All-Terrain Deck is offset and constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heat-treated for fixed obstacles and exceptional long-lasting sharpness.

61" FINISH CUT AERO DECK™ ▶

Exclusive Finish Cut Aero Deck is .315" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



Not all features are available on all models.
Check the specifications table or ask your dealer for details.

SMOOTH RIDE ▶

The TSX's TorqFlex™ front suspension and rear torsional axle suspension work together to bridge uneven terrain, delivering stability, and a smooth ride. Additionally, an adjustable coil spring over shock suspension operator platform provides operator comfort.



**SEE OUR
FULL LINE
OF TSX MODELS**

*With a powerful and
dynamic design you get
comfort & unmatched*
PERFORMANCE

*Shown with 3 Bag Collection
System (15 cubic foot capacity)
and Weight Kit accessories*



XC SERIES

WHEELED MOWERS

With a 35 hp Kawasaki FX engine, the powerful, high-performing **XC Series** delivers a precision cut you can be proud of.

◀ RIDER COMFORT

4-Point Engine Isolation System (EIS) isolates and absorbs engine vibrations for greater rider comfort. 6-Point Vibration Isolation System (VIS) isolates the rider from ground vibrations. 12-way adjustable high-back suspension seat with arm rests and TorqFlex™ suspension work together to deliver the industry's smoothest ride.

Adjustable
12-way seat



◀ POWER DECK LIFT

Conveniently located steering lever mounted control allows for quick and easy deck height adjustments without having to take your hand off the steering lever.

◀ DUAL FUEL TANKS

14-gallon capacity for extended cutting times.



SmarTrac™

Monitoring System features a tachometer and resettable hour meter, maintenance reminders with alerts for low oil pressure and overheating.

▲ **TORQFLEX™ SUSPENSION**

TorqFlex front suspension delivers stability, a smooth ride and reduced operator fatigue.

▲ **FINISH CUT AERO DECK™**

Our exclusive Aero Deck is .316" fabricated steel and features recessed anti-scalp wheels and fully adjustable baffles for a professional-grade cut every time. Available in 61" and 72" deck sizes.



The TorqFlex™ suspension system glides over tough terrain and isolates chassis and rider from ground chatter for greater rider comfort.



With dual-range Hydro-Gear® 5400 high/low transmissions and a top transport speed of 19 mph, the Altoz XC series can get the job done...fast.

QUICK SCAN
TO LEARN MORE





XP HD SERIES

BUILT TO DO EVERYTHING

The **XP HD Series** is engineered for reliability and a precise cut, designed for people who rely on their equipment to deliver nothing less than perfection.

ROLL-OVER PROTECTION SYSTEM ▼

Our roll-over protection system can be easily folded down to avoid low hanging limbs.

Adjustable
12-way seat



SMARTRAC/PRO

The **SmarTrac™ Pro** control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.



▶ DECK HEIGHT ADJUSTMENT

Rotational deck height adjustment changes cutting height setting with the turn of a dial.



▲ DUAL GAS TANKS

14-gallon capacity for extended cutting times.

▲ ANTI-SCALP WHEELS

Recessed and adjustable.

▲ FINISH CUT AERO DECK™

Our exclusive Aero Deck is .316" fabricated steel and fully adjustable baffles for a professional-grade cut every time. Available in 54", 61", 66" & 72" widths.



Commercial-grade Hydro-Gear® 4400 transmissions ensure smooth, reliable and responsive operation.



Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.

QUICK SCAN
TO LEARN MORE



XP 610 RD*i*

The **RD i SERIES** is engineered for reliability and durability, designed for people who rely on their equipment to just get the job done.

POWER TO SPARE ▶

Featuring a Kawasaki FX 29.5 hp EFI engine.

Adjustable 12-way seat



SMARTRAC/PRO

The **SmarTrac™ Pro** control represents a leap forward in technology: a solid-state PTO switch with lifetime warranty and the patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life.



▼ DECK HEIGHT ADJUSTMENT

Rotational deck height adjustment changes cutting height setting with the turn of a dial.

▼ FLAT-FREE FRONT TIRES

Power through the harshest conditions and minimize downtime, even over rough terrain and sharp debris, with standard flat-free tires.

REAR DISCHARGE DECK ▲

Our exclusive Rear Discharge Deck is .316" fabricated steel and fully adjustable front baffles for a professional-grade cut every time. Available in 61" width.

▲ ANTI-SCALP WHEELS

Recessed and adjustable.

▲ TORQFLEX™ SUSPENSION

TorqFlex front suspension delivers stability, a smooth ride and reduced operator fatigue.

QUICK SCAN
TO LEARN MORE



ALTOZ.COM



Commercial-grade Hydro-Gear® 4400 transmissions ensure smooth, reliable and responsive operation.



Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.

XE SERIES

The **XE Series** is rugged, reliable and built to endure.

QUICK SCAN
TO LEARN MORE



▼ RIDER COMFORT

Comfort suspension seat with high back, arm rests and fore and aft adjustment.

◀ DUAL FUEL TANKS

10-gallon capacity for extended cutting times.

◀ PRECISE HANDLING

Commercial-grade Hydro-Gear® 3200 transmissions ensure smooth, reliable and responsive operation.

Our roll-over protection system can be folded down easily to avoid low hanging limbs.

LOW IMPACT ▶

Tires designed to lessen terrain impact and provide a smoother ride.



XR SERIES

The **XR Series** is the perfect mower for discerning homeowners who take as much pride in their equipment as they do in their lawn.

BUILT TO COMMERCIAL STANDARDS ▶

With its laser-cut steel chassis, fabricated cutting deck and heat dissipating deck spindles, the XR is built to perform.

INCREASED VISIBILITY ▶

Low-profile front frame viewport allows for improved operator sight.

◀ PRECISE HANDLING

Cut with speed and precision around trees, flowerbeds and other obstacles with the XR's responsive, commercial-grade Hydro-Gear® 3100 transmissions.



XE SS and XR SS models feature a double arm adjustable coil spring over gas shock front suspension. Available as an accessory on other XE and XR models.




48", 54" or 61" signature deep-deck design with adjustable baffles creates optimal vacuum for maximum grass lift, resulting in an exceptional cut.

QUICK SCAN
TO LEARN MORE



▼ TRX DECK WING EXTENSION

Perfect for under fence lines, shore lines, ditch banks, water retention ponds, solar fields and anywhere you need to get under or over. Ditch the string trimmers and reduce man hours, gain 25% more coverage than a 66" deck.



Shown in transport position



OPERATOR-CONTROLLED DISCHARGE cover allows you to open and close the outlet quickly while mowing.



◀ TRX COUNTER ROTATION RIGHT DECK SPINDLE

Accessory provides more even grass dispersement.



LAWN STRIPING KIT

Stripe or create more complex patterns in the lawns you mow. Includes flexible rubber striper and all mounting hardware.



HITCH & RECEIVER HITCH KITS

Our standard hitch features a 5/8" opening for drop pin (available for all models). Our super-strong receiver hitch features standard 1-1/4" x 1-1/4" trailer hitch receiver.

OPERATOR ASSIST HANDLE KITS

Designed with your comfort and security in mind, this accessory offers a stable and reliable grab bar for easy mounting and dismounting.



◀ **VERTICAL SERRATED BLOWER FAN**

Mulches debris once again, reducing clogs and backups.

▲ **COLLECTION SYSTEM WITH DUMP BOX**

Large-capacity collection system is an effective and efficient way to collect grass clippings and leaves. The dump box hopper holds up to 12 cubic feet and allows the operator to release contents right from the mower seat.



QUICK SCAN
TO LEARN MORE



ACCESSORIES

VISIT **ALTOZ.COM** FOR THE COMPLETE LINE OF ACCESSORIES

MODEL SPECS



TRX SERIES



TSX SERIES



XC SERIES



XP HD SERIES



XE SERIES



XR SERIES



SWITCH

All specifications and features are subject to change, see dealer for details. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information.

*See dealer for warranty details. For additional information, go to Altoz.com

**VIS = Vibration Isolation System; EIS = Engine Isolation System

	ZERO TURN MOWERS								
	XR SERIES			XE SERIES			XP HD SERIES		
Model	XR 480	XR 540	XR 540 SS	XE 540	XE 610	XE 610 SS	XP 540 HD	XP 610 HDI	XP 610 RDI
Engine	Kawasaki FR	Kawasaki FR	Kawasaki FR	Kawasaki FS	Kawasaki FS	Kawasaki FS	Kawasaki FX	Kawasaki FX EFI	Kawasaki FX EFI
HP	23	23	23	24	24	24	27	29.5	29.5
Displacement	726 cc	726 cc	726 cc	726 cc	726 cc	726 cc	852 cc	852 cc	852 cc
Deck Width	48"	54"	54"	54"	61"	61"	54"	61"	61"
Weight	800 lbs	820 lbs	830 lbs	930 lbs	960 lbs	970 lbs	1330 lbs	1360 lbs	1410 lbs
Transmission	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400
Fuel Capacity	5 gallons	5 gallons	5 gallons	10 gallons	10 gallons	10 gallons	14 gallons	14 gallons	14 gallons
Rear Tire/Track Size	20"	20"	20"	22"	22"	22"	24"	24"	24"
Front Tire	—	—	—	—	—	—	—	—	Flat Free
Speed	8 mph	8 mph	8 mph	9 mph	9 mph	9 mph	11 mph	11 mph	11 mph
Instruments	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro
Suspension	Independent Front Suspension (Accessory)	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	Independent Front Suspension (Accessory)	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	—	—	TorqFlex Suspension (Standard)
Seat	Mid-back adjustable seat			High-back adjustable seat with arm rests			Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat
Deck Lift	Manual			Manual			Manual		
Warranty*	3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Year/400 Hours 1-Year No Hour Limitation			3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Year/600 Hours 1-Year No Hour Limitation			3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Years/1500 Hours First 2-Years No Hour Limitation		
Other**	—	—	—	—	—	—	—	—	—

				TRACKED ZERO TURN MOWERS					TRACKED STAND-ON MOWERS		COMPACT TOOL CARRIER
XP SERIES		XC SERIES		TRX SERIES					TSX SERIES		SWITCH
XP 660 HD	XP 720 HD	XC 610 Z	XC 720 Z	TRX 354 <i>Finish Cut</i>	TRX 561 i <i>Finish Cut</i>	TRX 561 i <i>All-Terrain</i>	TRX 766 i <i>Finish Cut</i>	TRX 766 i <i>All-Terrain</i>	TSX 561 i <i>All-Terrain</i>	TSX 561 i <i>Finish Cut</i>	SWITCH
Kawasaki FX	Kawasaki FX	Kawasaki FX	Kawasaki FX	Kawasaki FT	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EVO
35	35	35	35	24	29.5	29.5	38.5	38.5	29.5	29.5	34.5
999 cc	999 cc	999 cc	999 cc	726 cc	852 cc	852 cc	999 cc	999 cc	852 cc	852 cc	822 cc
66"	72"	61"	72"	54"	61"	61"	66"	66"	61"	61"	n/a
1400 lbs	1415 lbs	1400 lbs	1500 lbs	1220 lbs	1540 lbs	1600 lbs	1780 lbs	1800 lbs	1450 lbs	1450 lbs	1474 lbs
Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-3400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear PR 16cc Pumps/ Parker TF 195cc Wheel Motors	Hydro-Gear PR 16cc Pumps/ Parker TF 195cc Wheel Motors	Hydro-Gear Pumps/ Parker Motors
14 gallons	14 gallons	14 gallons	14 gallons	10 gallons	14 gallons	14 gallons	14 gallons	14 gallons	8.5 gallons	8.5 gallons	7 gallons
24"	24"	26"	26"	11"×68"	11"×72"	11"×72"	11" x 81"* 10" x 81"***	11" x 81"* 10" x 81"***	11"×72"	11"×72"	9" x 110"
—	—	—	—	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	n/a
11 mph	11 mph	19 mph	19 mph	8 mph	9 mph	9 mph	11 mph	11 mph	up to 10 mph	up to 10 mph	up to 7 mph
SmarTrac Pro	SmarTrac Pro	SmarTrac	SmarTrac	Hour Meter	SmarTrac Pro	SmarTrac Pro	Hour Meter/ Tachometer	Hour Meter/ Tachometer	SmarTrac Pro	SmarTrac Pro	Hour Meter/ Tachometer
—	—	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Independent Front Suspension (Accessory)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Torsion Suspension (Standard)
Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Operator Support Cushion		Operator Support Cushion
		Power		Manual					Manual		Power Attachment Lift
Engine* Transmission Hours Limitation		3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Years/1500 Hours First 2-Years No Hour Limitation		3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer					3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer		3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer
—	—	VIS / EIS**	VIS / EIS**	—	—		—	—	Adjustable Platform		Adjustable Platform/ Lights

*TRX 766 i w/All-Terrain Tracks **TRX 766 i w/TerraFlex Tracks

ALTOZ®

ALWAYS AHEAD®



Altoz, Inc.
20502 160th Street
Greenbush, MN 56726

Altoz.com

©2024 Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz, the Altoz logo, TorqFlex, Aero Deck, TerraFlex, SmarTrac Pro and Switch are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.

MADE IN THE
USA